

# BEDROCK<sup>®</sup>

TUFF TYRES *for* RUFF ROADS

2/3  
WHEELER  
TYRES

MAGNETO

LIFE TIME  
2/3 WHEELER  
TYRES  
WARRANTY\*


\*conditions apply




**\*conditions apply**






## COMPANY PROFILE


**PODDAR TYRES LIMITED (PTL)** is a leading Manufacturer-Exporter of Tyres & Tubes since 1964 for Bicycle, E-Rickshaw, Motorcycle, Scooter and Three Wheeler Vehicles under its renowned brand  **BEDROCK**<sup>®</sup>.


To Most People, a Tyre is just a Tyre. But that is where the similarity ends. Because  **BEDROCK**<sup>®</sup> Tyres & Tubes are products of engineering excellence, crafted & manufactured to exacting standards in the latest state-of-the-art modern plants with computerized auto testing facility.

High grade of raw-materials sourced from most reputed companies in India and abroad, excellent manufacturing capabilities backed by a strong R&D team, stringent quality control management ensures that the Tyres & Tubes meet the demanding Domestic and International standards.

 **BEDROCK**<sup>®</sup> Tyres have set high standards in quality & design to give high abrasion resistance, anti skid characteristics, better traction properties, greater mileage and longer life with better riding comfort.

 **BEDROCK**<sup>®</sup> Tyres & Tubes is the leading brand and enjoy high level of confidence of the Consumers. After all,  **BEDROCK**<sup>®</sup> has a huge family of thousands of happy Dealers, Leading Cycle Manufacturers (OEM) and millions of satisfied Customers with more than 600 millions Tyres & Tubes rolled out from our factories at Mumbai & Ludhiana since 1964.

 **BEDROCK**<sup>®</sup> Tyres & Tubes are exported to Central & Latin America, Europe, Africa & Middle East Countries. Locally within India we have a strong network of over 10,000 Dealers and 52 Sales Offices spread all over the Country.

In addition of having ISI product quality certification from the Bureau of Indian Standards (BIS),  **BEDROCK**<sup>®</sup>'s manufacturing operations have been conferred "Export-Worthy" status under "In Process Quality Control (IPQC)" system & also ISO 9001:2015 Certification by world renowned accreditation body DNV (Det Norske Veritas), The Netherlands.

### **BEDROCK**<sup>®</sup> CORPORATE MOTTO

**LEADERSHIP THROUGH TECHNOLOGY, INNOVATIONS, QUALITY, SERVICE,  
PERFORMANCE & REAL VALUE FOR MONEY WITH ESSENCE OF COMMITMENT FOR  
GREATER CUSTOMER SATISFACTION.**



**MOTORCYCLE**

**TYRES**



**B** **BEDROCK**<sup>®</sup>  
TUFF TYRES *for* RUFF ROADS

# SUPER GRIP

| SIZES   | PR  |
|---------|-----|
| 3.00-18 | 6PR |
| 3.00-17 | 6PR |
| 2.75-18 | 6PR |
| 2.75-17 | 6PR |



► [www.bedrocktyres.com](http://www.bedrocktyres.com)

5



# SUPER SHAKTI

| SIZES   | PR  |
|---------|-----|
| 3.25-19 | 6PR |
| 3.00-18 | 6PR |
| 3.00-17 | 6PR |
| 2.75-18 | 6PR |





**RiB**

| SIZES       | PR  |
|-------------|-----|
| 3.25-19     | 4PR |
| 2.75-18     | 4PR |
| 2.75-17     | 4PR |
| 90/90-17 TL | -   |
| 2.50-18     | 4PR |
| 2.50-17     | 4PR |



**M.G.**

| SIZES   | PR  |
|---------|-----|
| 3.00-17 | 6PR |
| 2.75-18 | 6PR |



8





# DURAMAX

| SIZES        | PR  |
|--------------|-----|
| 3.00-18      | 6PR |
| 2.75-18      | 6PR |
| 100/90-18 TL | -   |
| 100/90-17 TL | -   |



# SUPER SHAKTI R2

| SIZES   | PR  |
|---------|-----|
| 3.00-18 | 6PR |





**B** **BEDROCK**<sup>®</sup>  
TUFF TYRES *for* RUFF ROADS

# RIB F-11

| SIZES      | PR  |
|------------|-----|
| 2.75-18 TL | 4PR |
| 2.75-17 TL | 4PR |



► [www.bedrocktyres.com](http://www.bedrocktyres.com)

11



# RACER-R1



| SIZES        | PR |
|--------------|----|
| 80/100-18 TL | -  |
| 80/100-17 TL | -  |
| 100/90-17 TL | -  |
| 120/80-17 TL | -  |
| 140/70-17 TL | -  |





# MAGNETO



| SIZES        | PR  |
|--------------|-----|
| 80/100-18 TL | -   |
| 120/80-18 TL | -   |
| 2.75-18 TL   | 6PR |
| 80/100-17 TL | -   |
| 110/80-17 TL | -   |
| 120/80-17 TL | -   |
| 130/70-17 TL | -   |
| 140/70-17 TL | -   |
| 140/60-17 TL | -   |



# RACER-F1

| SIZES       | PR |
|-------------|----|
| 90/90-18 TL | -  |
| 90/90-17 TL | -  |





# RACER FS



| SIZES        | PR  |
|--------------|-----|
| 80/100-18 TL | -   |
| 90/90-18 TL  | -   |
| 80/100-17 TL | -   |
| 90/90-17 TL  | -   |
| 100/80-17 TL | -   |
| 110/70-17 TL | -   |
| 2.75-17      | 4PR |
| 2.75-18      | 4PR |



# SUPREME

| SIZES        | PR  |
|--------------|-----|
| 3.00-18 TL   | 6PR |
| 2.75-18 TL   | 6PR |
| 80/100-18 TL | -   |
| 100/90-17 TL | -   |







**BEDROCK**<sup>®</sup>  
TUFF TYRES *for* RUFF ROADS

# CRUZER

| SIZES        | PR |
|--------------|----|
| 80/100-18 TL | -  |



► [www.bedrocktyres.com](http://www.bedrocktyres.com)

17





**SCOOTER**

**TYRES**



# RACER FS

| SIZES        | PR  |
|--------------|-----|
| 90/100-10 TL | -   |
| 3.00-10 TL   | 4PR |
| 100/80-12 TL | -   |



# ROYAL

| SIZES        | PR  |
|--------------|-----|
| 90/100-10 TL | -   |
| 100/90-10 TL | -   |
| 3.50-10      | 4PR |
| 3.00-10 TL   | 4PR |





**B** **BEDROCK**<sup>®</sup>  
TUFF TYRES *for* RUFF ROADS

# GLIDER

| SIZES       | PR  |
|-------------|-----|
| 90/90-12 TL | -   |
| 3.00-10 TL  | 4PR |



► [www.bedrocktyres.com](http://www.bedrocktyres.com)

21



# MAGNETO

| SIZES        | PR  |
|--------------|-----|
| 3.50-10 TL   | 4PR |
| 90/100-10 TL | 4PR |
| 110/80-12 TL | -   |





**BEDROCK**<sup>®</sup>  
TUFF TYRES *for* RUFF ROADS

# DURAMAX

| SIZES        | PR |
|--------------|----|
| 90/100-10 TL | -  |



► [www.bedrocktyres.com](http://www.bedrocktyres.com)

23



# SUPREME

| SIZES        | PR |
|--------------|----|
| 90/100-10 TL | -  |







**B** **BEDROCK**<sup>®</sup>  
TUFF TYRES *for* RUFF ROADS

# RACER RS

| SIZES        | PR |
|--------------|----|
| 90/100-10 TL | -  |



► [www.bedrocktyres.com](http://www.bedrocktyres.com)

25



# SUPREME R2

| SIZES       | PR |
|-------------|----|
| 90/90-12 TL | 4  |





# BEDROCK<sup>®</sup>

TUFF TYRES *for* RUFF ROADS

TYRES MANUFACTURED WITH

**NITROCURE**  
— TECHNOLOGY —

**SCOOTER TYRES**

[www.bedrocktyres.com](http://www.bedrocktyres.com)



**E-RICKSHAW**

**TYRES**



# SUPER LUG

| SIZES   | PR  |
|---------|-----|
| 4.00-12 | 8PR |



# SUPER SHAKTI R2

| SIZES   | PR  |
|---------|-----|
| 3.25-16 | 6PR |
| 3.75-12 | 4PR |





**B** **BEDROCK**<sup>®</sup>  
TUFF TYRES *for* RUFF ROADS

**M-3**

| SIZES    | PR |
|----------|----|
| 90/90-12 | -  |



# SUPER LOADER

| SIZES    | PR  |
|----------|-----|
| 3.00-14  | 6PR |
| 90/90-12 | -   |
| 3.25-16  | -   |
| 3.75-12  | -   |







# MISSILE

| SIZES    | PR  |
|----------|-----|
| 3.00-14  | 6PR |
| 90/90-12 | -   |



# SUPER LOADER R2

| SIZES   | PR |
|---------|----|
| 4.00-12 | -  |
| 4.50-12 |    |





# SUPREME

| SIZES    | PR  |
|----------|-----|
| 90/90-12 | -   |
| 3.75-12  | 4PR |





**B** **BEDROCK**<sup>®</sup>  
TUFF TYRES *for* RUFF ROADS

**MACHO**

| SIZES   | PR  |
|---------|-----|
| 3.75-12 | 4PR |





**THREE WHEELER**

**TYRES**

# SUPER **LOADER**

| SIZES   | PR  |
|---------|-----|
| 4.50-10 | 8PR |
| 4.00-8  | 6PR |





# MAGiC

| SIZES   | PR  |
|---------|-----|
| 4.00-8  | 6PR |
| 4.00-10 | 6PR |



# MACHO

| SIZES  | PR  |
|--------|-----|
| 4.00-8 | 6PR |







**B** **BEDROCK**<sup>®</sup>  
TUFF TYRES *for* RUFF ROADS

**M-3**

| SIZES  | PR  |
|--------|-----|
| 4.00-8 | 6PR |



**M-5**

| SIZES  | PR  |
|--------|-----|
| 4.00-8 | 6PR |





**MOPED**

**TYRES**

**riB**

| SIZES   | PR  |
|---------|-----|
| 2.50-16 | 4PR |



44



**BEDROCK**<sup>®</sup>  
TUFF TYRES *for* RUFF ROADS

# DURAMAX

| SIZES   | PR  |
|---------|-----|
| 2.50-16 | 6PR |



► [www.bedrocktyres.com](http://www.bedrocktyres.com)

45



# SUPER SHAKTI

| SIZES   | PR  |
|---------|-----|
| 2.50-16 | 6PR |



46



## VEHICLE APPLICATION

|              |  |
|--------------|--|
| 3.25-19      | <b>ROYAL ENFIELD</b> - Bullet 350, Electra 4s, Electra Deluxe, Bullet Machismo, Thunderbird  |
| 3.00-18      | <b>BAJAJ</b> -Boxer, <b>HERO</b> -Achiever, Passion Pro, Passion Plus, Glamour, Glamour Programmed Fi, <b>LML</b> -Freedom DX, Freedom, <b>HONDA</b> -CB Unicorn, <b>MAHENDRA</b> -Pantero, Centuro N, <b>SUZUKI</b> -Slingshot Plus SEU, Max 100, Slingshot Plus SCD, GS150R, <b>YAMAHA</b> -YBR-125, SS-125, Libero, YBR-110   |
| 2.75-18      | <b>BAJAJ</b> -Boxer, <b>HERO</b> -Splendor Ismart, Super Splendor, Splendor PRO, Splendor+, CD Dawn, NXG, HF Delux, HF Dawn, Passion PRO, Passion Plus, Karizma, Achiever, Glamour, Glamour Programmed Fi, Hunk, <b>HONDA</b> -Shine 125, Unicorn, <b>MAHENDRA</b> -Pantero, Centuro, <b>SUZUKI</b> -GS 150R, Slingshot Plus SEU, Slingshot Plus SCD, <b>YAMAHA</b> -YBR-125, YBR-110, SS-125, CRUX, Enticer, Fazer, TVS-Max 100 |
| 2.50-18      | <b>HERO HONDA</b> - CD 100, <b>YAMAHA</b> - CRUX, Libero, RX100, RX125, RX135, <b>BAJAJ</b> - Boxer AT   |
| 120/80-18 TL | <b>ROYAL ENFIELD</b> -Classic Battle Green, Bullet 500, Thunderbird 500, Thunderbird 350, Classic Desent Storm, Classic Chrome, Classic 500, Classic BG  |
| 100/90-18 TL | <b>TVS</b> - Apache RTR 160, Apache F1 160, Apache RTR 160 Hyper Edge, <b>JAWA</b> - Perak   |
| 90/90-18 TL  | <b>ROYAL ENFIELD</b> - Classic Battle Green, <b>JAWA</b> - Jawa 42, Jawa   |
| 80/100-18 TL | <b>HONDA</b> -Dream Neo, Dream Yuga, CB Shine, <b>HONDA</b> - Karizma ZMR, Xtreme, Passion Xpro, Splendor ismart, Hunk   |
| 3.00-17      | <b>BAJAJ</b> -Discover (All Models), Platina, XCD, <b>TVS</b> -Max4R, Star City (All Models), Sport, Jive, <b>SUZUKI</b> -Hayate   |
| 2.75-17      | <b>BAJAJ</b> -Pulsar (All Models), Discover (All Models), Platina, CT-100, XCD-125, <b>SUZUKI</b> -Hayate, <b>TVS</b> -Phoenix 125, Jive, Max4R, Star City (All Models), Sport   |
| 2.50-17      | <b>HERO HONDA</b> - Street   |
| 140/70-17 TL | <b>HONDA</b> -CBR 250R, <b>KAWASAKI</b> -Ninja 300, <b>SUZUKI</b> -Inazuma   |
| 120/80-17 TL | <b>BAJAJ</b> -Pulsar 220, Pulsar 480   |
| 100/90-17 TL | <b>BAJAJ</b> -Pulsar, <b>HERO HONDA</b> -Passion 150, Pulsar 135 LS, <b>HONDA</b> -New Stunner CBF, <b>YAMAHA</b> -SZ-S, SZ-RR, <b>HERO</b> -Ignitor   |
| 90/90-17 TL  | <b>BAJAJ</b> -Avenger 220, Pulsar 220, Pulsar 180, <b>TVS</b> - Phoenix 125, Apache RTR 180 ABS  |
| 80/100-17 TL | <b>HONDA</b> -New Stunner CBF, CB Twister, CB Trigger, Dazzler, <b>HERO HONDA</b> -Ignitor   |

## VEHICLE APPLICATION

|              |  |
|--------------|--|
| 110/80-17 TL | <b>YAMAHA</b> -Apache RTR 160, Apache RTR 180,   |
| 100/80-17 TL | <b>HERO</b> -Xtreme 160R, Xtreme200S, Xpulse 200T, Thriller 160R,<br><b>YAMAHA</b> -MT-15, YZF R15, FZS 25, FZS-FI, FZS-FI-Vintage, FZ-FI, FZ-X, Fazer,<br><b>BAJAJ</b> -Pulsar RS200, Pulsar NS200, Pulsar F250, Pulsar N250, Dominar 250   |
| 130/70-17 TL | <b>HONDA</b> -X-Blade, <b>BAJAJ</b> -Pulsar RS200, Pulsar NS200, Pulsar F250,<br>Pulsar N250, Dominar 250  |
| 110/70-17 TL | <b>HONDA</b> -Hornet 2.0   |
| 140/60-17 TL | <b>YAMAHA</b> -FZS-FI, FZS-FI-Vintage, FZ-FI, FZ-X   |
| 3.25-16      | E-Rickshaw   |
| 2.50-16      | <b>HERO</b> -Puch, <b>TVS</b> -XL Super, XL Super Heavy, XD HD, TVS Sport,<br>TVS Champ, <b>KINETIC</b> -Luna Magnum   |
| 3.00-14      | E-Rickshaw, Passenger Rickshaw   |
| 4.00-12      | E-Rickshaw   |
| 3.75-12      | E-Rickshaw   |
| 90/90-12 TL  | <b>HONDA</b> -Activa 125, Aviator, Aviator DLX, <b>MAHINDRA</b> -Gusto,<br><b>TVS</b> -Wego, Jupiter, Wego 110 CC  |
| 90/90-12     | E-Rickshaw   |
| 4.50-10      | <b>MAHINDRA</b> -Minidor, SIL-Vikram, <b>PIAGGIO</b> -Piaggio,<br><b>FORCE MOTORS</b> - Force Mini   |
| 4.00-10      | <b>BAJAJ</b> -Maxima Z   |
| 3.50-10 TL   | <b>HERO</b> - Pleasure, <b>HONDA</b> - Activa 100 CC, Dio,<br><b>MAHINDRA</b> -Duro DZ, Rodeo  |
| 3.00-10 TL   | <b>TVS</b> - Scooty Pep, Pep+, <b>MAHINDRA</b> -Kine, LML- Trandy,<br><b>KINETIC</b> - Kine, Zing, Zing 80   |
| 100/90-10 TL | <b>HERO</b> -Maestro, Maestro DLX, New Pleasure,<br><b>HONDA</b> -Activa 110 CC (old), Activai, Activa 125, Dio DLX, Aviator,<br>Aviator DLX, <b>PIAGGIO</b> -Vespa LX, Vespa VX, Vespa premium,<br><b>SUZUKI</b> -Swish 125, Access 125, Lets <b>YAMAHA</b> -Ray, Alpha, Facino,<br><b>TVS</b> -Scooty Zest 110CC |
| 90/100-10 TL | <b>HERO</b> -Maestro, Maestro DLX, New Pleasure,<br><b>HONDA</b> -Activa 110 CC (old), Activai, Activa 125, Dio DLX, Aviator,<br>Aviator DLX, <b>PIAGGIO</b> -Vespa LX, Vespa VX, Vespa premium,<br><b>SUZUKI</b> -Swish 125, Access 125, Lets <b>YAMAHA</b> -Ray, Alpha, Facino,<br><b>TVS</b> -Scooty Zest 110CC |
| 4.00-8       | <b>BAJAJ</b> -Bajaj Auto, <b>TVS</b> -TVS King, <b>MAHINDRA</b> -City  |





## AIR PRESSURE CHART

| TYRE NAME       | SIZES        | IN PSI  | TYRE NAME    | SIZES        | IN PSI  |
|-----------------|--------------|---------|--------------|--------------|---------|
| SUPER GRIP      | 3.00-18      | R-40    | MAGNETO      | 80/100-17 TL | R-40    |
|                 | 300-17       | R-40    |              | 110/80-17 TL | R-33    |
|                 | 2.75-18      | R-40    |              | 120/80-17 TL | R-33    |
|                 | 2.75-17      | R-40    |              | 130/70-17 TL | R-38    |
| SUPER SHAKTI    | 3.25-19      | R-33    |              | 140/70-17 TL | R-33    |
|                 | 3.00-18      | R-40    |              | 140/60-17 TL | R-40    |
|                 | 3.00-17      | R-40    |              | 80/100-18 TL | R-40    |
|                 | 2.75-18      | R-40    |              | 120/80-18 TL | R-33    |
| RIB             | 3.25-19      | F-33    |              | 2.75-18 TL   | R-40    |
|                 | 2.75-18      | F-33    |              | 3.50-10 TL   | 36      |
|                 | 2.75-17      | F-33    |              | 90/100-10 TL | 36      |
|                 | 90/90-17 TL  | F-33    |              | M.G.         | 3.00-17 |
|                 | 2.50-18      | F-33    | 2.75-18      |              | R-40    |
|                 | 2.50-17      | F-33    | RACER FS     |              | 2.75-18 |
| 2.50-16         | F-33         | 2.75-17 |              | F-33         |         |
| SUPER SHAKTI R2 | 3.00-18      | R-40    |              | 90/90-18 TL  | F-33    |
|                 | 3.25-16      | 40      |              | 90/90-17 TL  | F-33    |
|                 | 3.75-12      | 36      |              | 80/100-18 TL | F-40    |
| DURAMAX         | 3.00-18      | R-40    |              | 80/100-17 TL | F-33    |
|                 | 2.75-18      | R-40    |              | 100/80-17 TL | F-30    |
|                 | 100/90-18 TL | R-33    |              | 110/70-17 TL | F-30    |
|                 | 100/90-17 TL | R-33    | 90/100-10 TL | 36           |         |
|                 | 90/100-10 TL | R-36    | RIB F-11     | 2.75-18      | F-40    |
| RACER-R1        | 80/100-18 TL | R-40    |              | 2.75-17      | F-40    |
|                 | 100/90-17 TL | R-33    | SUPREME      | 3.00-18 TL   | R-40    |
|                 | 140/70-18 TL | R-33    |              | 2.75-18 TL   | R-40    |
|                 | 120/80-17 TL | R-33    |              | 80/100-18 TL | R-40    |
|                 | 80/100-17 TL | R-33    |              | 100/90-17 TL | R-40    |
| RACER-F1        | 90/90-18 TL  | F-33    |              | 90/100-10 TL | R-36    |
|                 | 90/90-17 TL  | F-33    |              | 3.75-12      | 36      |
|                 |              |         |              | 90/90-12     | 40      |

## AIR PRESSURE CHART

| TYRE NAME  | SIZES        | IN PSI | TYRE NAME          | SIZES    | IN PSI |
|------------|--------------|--------|--------------------|----------|--------|
| CRUZER     | 80/100-18 TL | R-40   | MACHO              | 3.75-12  | 36     |
|            |              |        |                    | 4.00-8   | 60     |
| RACER RS   | 90/100-10 TL | R-36   |                    |          |        |
| SUPREME R2 | 90/90-12 TL  | R-40   | M-3                | 90/90-12 | 36     |
|            |              |        |                    | 4.00-8   | 60     |
| ROYAL      | 90/100-10 TL | 36     | M-5                | 4.00-8   | 60     |
|            | 100/90-10 TL | 36     |                    |          |        |
|            | 3.50-10      | 36     | SUPER<br>LOADER R2 | 4.00-12  | 60     |
|            | 3.00-10 TL   | 36     |                    | 4.50-12  | 60     |
| MISSILE    | 3.00-14      | 40     | SUPER LOADER       | 4.50-10  | 60     |
|            | 90/90-12     | 36     |                    | 4.00-8   | 60     |
| GLIDER     | 90/90-12 TL  | 36     |                    | 3.75-12  | 36     |
|            | 3.00-10 TL   | 36     |                    | 3.25-16  | 40     |
| MAGIC      | 4.00-8       | 60     |                    | 3.00-14  | 40     |
|            | 4.00-10      | 60     |                    | 90/90-12 | 36     |
| SUPER LUG  | 4.00-12      | 60     |                    |          |        |

## TYRE CARE AND MAINTENANCE

- Fit the Tyre on recommended rim size only.
- Ensure wheel rim is straight & is free from rust and dust.
- Always fit new Tube with new Tyre.
- Before inserting the Tube inside the Tyre, check the Tube for any leakage.
- Do not overload the vehicle.
- Maintain air pressure as per vehicle manufacturer recommendations.



# BEDROCK<sup>®</sup>

TUFF TYRES *for* RUFF ROADS



TYRES MANUFACTURED WITH

## NITROCURE

— TECHNOLOGY —



\*conditions apply

# MOTORCYCLE TYRES

[www.bedrocktyres.com](http://www.bedrocktyres.com)



Manufacturers & Exporters



**PODDAR TYRES LIMITED**

An ISO 9001:2015 Certified Company

Head Office:-

5-D, COURT CHAMBERS,

35 NEW MARINE LINES, MUMBAI- 400 020.

Ph.: (+91-22) 2200 6554, 2200 6553, 2200 4812

e-mail: [ptl.mumbai@bedrocktyres.com](mailto:ptl.mumbai@bedrocktyres.com)

Works:-

PODDAR NAGAR, G.T. ROAD,

JUGIANA, LUDHIANA - 141 014 (PUNJAB)

Ph.: (+91-161) 2511 556 - 560

e-mail: [ptl.ludhiana@bedrocktyres.com](mailto:ptl.ludhiana@bedrocktyres.com)

[www.bedrocktyres.com](http://www.bedrocktyres.com)

